

713066

PFPG12GG7

**CUCINA GAS 4 FUOCHI CON GRIGLIA IN GHISA E
PIASTRA RISCALDANTE SU FORNO GAS STATICO GN2/1
CON 1 GRIGLIA**

4 BURNERS GAS BOILING TOP WITH CAST IRON GRIDS
AND HOTPLATE ON GN2/1 GAS STATIC OVEN WITH 1
GRID




CARATTERISTICHE TECNICHE

- Costruito in acciaio inox
- Dotata di piedi regolabili, può essere disposta a parete o ad isola
- Funzionamento a gas metano o liquido; in dotazione ugelli intercambiabili
- Cassetti recupero residui posti al di sotto dei bruciatori dei fuochi aperti
- Comandi e componenti facilmente accessibili rimuovendo il cruscotto
- Rubinetti valvolati
- Bruciatori a gas in ghisa smaltata vetrificata, dotati di fiamma pilota e termocoppia di sicurezza
- Piastra in ghisa levigata composta da 2 semipiastrine scomponibili ad anello centrale esportabile
- Bruciatore in acciaio sotto la piastra, accensione piezoelettrica
- Guide portateglie e suola forno smaltate e rimovibili
- Piastra in materiale indeformabile a prolungato mantenimento del calore
- Piano di spessore 1,2 mm in acciaio inox AISI 304

SPECIFICATIONS

- Made of stainless steel
- Equipped with adjustable feet. It can be positioned by the wall or combined with other appliances as a central island.
- Natural gas or LPG functioning; interchangeable nozzles are provided
- Residue collection drawer positioned underneath the burners
- Easy to reach controls and units thanks to the removable front panel
- Safety gas valves
- Gas burners made of vitreous enamelled cast iron equipped with pilot flame and safety thermocouple
- Smooth cast iron plate, 2 modular half-plates and removable central ring
- Steel burner placed under the plate. Piezoelectric ignition
- Bottom and runners for backing trays are enamelled and removable
- Plate made of non-deformable material for guaranteed extended heat
- AISI 304 stainless steel top, 1,2 mm thick

Disposizioni potenze sul piano
Power levels distribution on the top



Information shown is provided only as a guide. The company reserves the right to modify these data without notifying anytime.
La validità dei dati riportati è indicativa. L'azienda si riserva il diritto di apportare, in qualsiasi momento, variazioni anche senza preavviso.



TECNOINOX S.r.l. - via Torricelli 1 - 33080 Porcia PN - Italy
tel.: +39.0434.920110 - fax: +39.0434.920422
www.tecnoinox.it - tecnoinox@tecnoinox.it



CUCINA GAS 4 FUOCHI CON GRIGLIA IN GHISA E
PIASTRA RISCALDANTE SU FORNO GAS STATICO GN2/1
CON 1 GRIGLIA

4 BURNERS GAS BOILING TOP WITH CAST IRON GRIDS
AND HOTPLATE ON GN2/1 GAS STATIC OVEN WITH 1
GRID



DATI TECNICI - TECHNICAL SHEET

	U.M.	
Total Power	kW	31
Gas Power	kW	31
Oven Power	kW	7
Open Burners Power	n°x kW	1x7,2+1x3,3+2x4,5
Top Power	kW	24
Heating Plate Power	n°x kW	1x4,5
Trays capacity	n°x	4xGN2/1
Natural Gas Consumption	m³/h	3,27
Oven Chamber Dimensions (WxDxH)	cm	57,5x65x30
Oven dimension		GN2/1
Plate Dimension	cm	30,9x55,4
Cabinet inner dimensions (WxDxH)	cm	33x57,4x39,5
Runners	n°	4
Number of Burners	n°	4+1(piastra)-4+1(plate)
Distance between shelves	cm	6
Oven Temperature Range	°C	150÷290
Pan Holders		Ghisa Smalto RAAF-RAAF Enam. Cast Iron
Oven Version		Statico-Static
Plate Type		Ghisa-Cast Iron
CE Certificate Nr. (Gas Appliance)		CE-0085BO0091
Gas Supply Height from Ground/Position		Fondo-Bottom
	mm	0
	mm	1050
	mm	-580
Gas Connection Diameter		3/4"G EN10226-1
	mm	0
	mm	1166
	mm	-412
	mm	155
	mm	155/250
		3
Width	cm	120
Depth	cm	70
Height	cm	90
Packaging Width	cm	125,0
Packaging Depth	cm	82,0

DATI TECNICI - TECHNICAL SHEET

	U.M.	
Packaging Height	cm	112,0
Net Weight	kg	153,1000
Gross Weight	kg	176,0000
Volume	m ³	01,1500
S.H. Codes		84198180
Maximum weight for stacking	kg	500
Parcel Rotation Index		Orizzontale
Testing Sequence		90001
		173,174,177,49