




CARATTERISTICHE TECNICHE

Costruito in acciaio inox
Piano di spessore 2 mm in acciaio inox AISI 304
Dotata di piedi regolabili, può essere disposta a parete o ad isola
Funzionamento a gas metano o liquido; in dotazione ugelli intercambiabili
Cassetti recupero residui posti al di sotto dei bruciatori dei fuochi aperti
Comandi e componenti facilmente accessibili rimuovendo il cruscotto
Rubinetti valvolati
Bruciatori a gas in ghisa smaltata vetrificata, dotati di fiamma pilota e termocoppia di sicurezza
Doppia corona sui bruciatori da 9 kW
Guide portateglie smaltate e suola rimovibili

SPECIFICATIONS

Made of stainless steel
2-mm-thick top
Equipped with adjustable feet. It can be positioned by the wall or combined with other appliances as a central island.
Natural gas or LPG functioning; interchangeable nozzles are provided
Residue collection drawer positioned underneath the burners
Easy to reach controls and units thanks to the removable front panel
Safety gas valves
Gas burners made of vitreous enamelled cast iron equipped with pilot flame and safety thermocouple
9kW burners featuring double crown
Bottom and enamelled runners for backing trays are removable

Disposizioni potenze sul piano
Power levels distribution on the top



Information shown is provided only as a guide. The company reserves the right to modify these data without notifying anytime.
La validità dei dati riportati è indicativa. L'azienda si riserva il diritto di apportare, in qualsiasi momento, variazioni anche senza preavviso.



TECNOINOX S.r.l. - via Torricelli 1 - 33080 Porcia PN - Italy
tel.: +39.0434.920110 - fax: +39.0434.920422
www.tecnoinox.it - tecnoinox@tecnoinox.it





DATI TECNICI - TECHNICAL SHEET

	U.M.	
Total Power	kW	49
Gas Power	kW	49
Oven Power	kW	9
Open Burners Power	n°x kW	4x5,5 + 2x9
Top Power	kW	40
Trays capacity	n°x	4x(883x603)
Natural Gas Consumption	m³/h	5,18
Oven Chamber Dimensions (WxDxH)	cm	92,5x63x30
Oven dimension		Full size h=30 cm
Runners	n°	4
Number of Burners	n°	6
Distance between shelves	cm	6
Oven Temperature Range	°C	150÷290
Pan Holders		Ghisa Smalto RAAF-RAAF Enam. Cast Iron
Oven Version		Statico-Static
CE Certificate Nr. (Gas Appliance)		CE-0085BQ0326
Gas Supply Height from Ground/Position		64cm
	mm	-75
Gas Connection Diameter		3/4"G EN10226-1
	mm	484
	mm	1166
	mm	-75
	mm	133
	mm	133/195
		3
Width	cm	120
Depth	cm	90
Height	cm	90
Packaging Width	cm	125,0
Packaging Depth	cm	100,0
Packaging Height	cm	116,0
Net Weight	kg	205,0000
Gross Weight	kg	224,0000
Volume	m³	01,4600
S.H. Codes		84198180
Maximum weight for stacking	kg	500

DATI TECNICI - TECHNICAL SHEET

	U.M.	
Parcel Rotation Index		Orizzontale
Testing Sequence		90001
		173,174,177